CONTRA COSTA COUNTY DEPARTMENT OF CONSERVATION AND DEVELOPMENT COMMUNITY DEVELOPMENT DIVIDION

COMMUNITY DEVELOPMENT DIVISION

30 Muir Road

Martinez, CA 94553-4601 Phone: 925-674-7205 Fax: 925-674-7258



Date_

AGENCY COMMENT REQUEST


We request your comments regarding the attached ap	olication currently under review.
DISTRIBUTION	Please submit your comments to:
Internal	Project Planner
Grading Inspection	Phone #
Advance PlanningHousing Programs	E-mail@dcd.cccounty.us
Trans. PlanningTelecom Planner	County File #
ALUC StaffHCP/NCCP Staff	
APC Floodplain TechCounty Geologist	Prior to
Health Services Department	****
Environmental HealthHazardous Materials	We have found the following special programs apply to this application:
Public Works Department	Active Fault Zone (Alquist-Priolo)
Engineering Services (Full-size)Traffic	Flood Hazard Area, Panel #
Flood Control (Full-size)Special Districts	60-dBA Noise Control
Local	CA EPA Hazardous Waste Site
XFire District Kensington Fire	* * * *
Consolidated – (email) fire@cccfpd.org Sanitary District	AGENCIES: Please indicate the applicable code
Water District East Bay Mub	section for any recommendation required by law or
City of El (sai)	ordinance. Please send copies of your response to the Applicant and Owner.
> City of El (errito	
School District(s)	Comments:NoneBelowAttached
LAFCO	
Reclamation District #	
East Bay Regional Park District	
Diablo/Discovery Bay/Crockett CSD	
× MAC/TAC Kensington MAC	
Improvement/Community Association	
X CC Mosquito & Vector Control Dist (email)	
Others/Non-local	
CHRIS – Sonoma State	
CA Fish and Wildlife, Region 3 – Bay Delta	
Native American Tribes	
Additional Recipients	Print Name
	Signature
	Signature DATE
	Agency phone #





CONTRA COSTA COUNTY Department of Conservation & Development Community Development Division

CONTRA	
20/9 FFP . " A	COST
- 1 4 has	

WARRANGE PERMITAPPLE CATION (C.)							
	TO BE COMPLETED B	Y OWNER (OR APPLI	CANT			
OWNER				APPLICANT CAPPLICANT			
Name Matthew Kocher			Name Fred Hyer, Hyer Architecture				
Address 159 Actington Ave			Address 263 Amberst Avenue				
City, State/Zip Kensinston CA 94707			City, State/Zip Konsington CA 94708				
Phone 510 697 4391 email KOCHER @Smail.com			Phone 510,527,1915 email fred Chyerarchiter				
By signing below, owner agrees to pay all costs, including any accrued interest, if the applicant does not pay costs.		By signing below, applicant agrees to pay all costs for processing this application plus any accrued interest if the costs are not paid					
Check here if billings are to be sent to applicant rather than owner.		within 30 days of invoicing.					
Owner's Signature Hall Company		Applicant	Applicant's Signature Mudum)				
CONTACT PERSON (optional)			PROJECT DATA				
Name same as applicant		Total Parce	Total Parcel Size: 7,77% SF				
Address		Estimated P	Estimated Project Value: \$75,000				
City, State/Zip				Proposed Square Footage: 528			
Phone email							
Project description (attach supplement	tal statement if necessary): re	build e	existin				
walls, enry &	laws, deek over	garag	je, ar	nd front planters			
EN LA CORORIO DE COMO	ME 18 FEW LOSS CONTROL	ia lisa on		CORORIGEUS COMBANT			
Project description:		AND AND DESCRIPTION OF THE PERSONS					
The applicant request	s a Variance permit to allow	u for a O-foo	t front cot	back (20-feet required) and a 1-			
foot 9-inch side setba	ck (5-feet required) to rebu	ild an evictir	r nonc ser	and retaining walls			
			is sai asc	and retaining wans.			
Property description: Reckele	7 High and Terrac	197		E			
Ordinance Ref.:	TYPE OF FEE	FEE	CODE	Assessor's #: 572-150-017			
Area: Kensington	*Base Fee/Deposit	\$1,000	S-044	Site Address: 159 Arlicator Arc			
Fire District: Kensington Fire	Late Filing Penalty			,			
	(+50% of above if applicable)	45.00 /	S-066	Zoning District: 18-6-70V-16			
Sphere of Influence: El Cerrito	Notification Fee	15.00 / 30.00	S-052	Census Tract: 3120			
Flood Zone: X	Fish & Game Posting (if not CEQA exempt)	75.00	S-048	Atlas Page:			
Panel Number:	Environmental Health Dept.	67.00					
x-ref Files:	Other:	07.00	5884	General Plan: 54			
X 10/1 1100.	Other.			Substandard Lot: YES 🖾 NO 🗆			
				Supervisorial District: 7			
	3			Received by: Michael Hart			
Concurrent Files:	TOTAL	\$ 1,08	37	Date Filed: 2/13/19			
	Receipt #190001772			Eile #\D (M			
	*Additional fees based on time and materials will be charged if staff costs exceed base fee.			File #VR (9-1012			









Alquist-Priolo Fault Zone: Hayward Fault



GENERAL NOTES

- 1. It is intended that the work described on these drawings comply with all applicable codes and ordinances. The Contractor shall not proceed with any work that is non-compliant.
- 2. This project shall comply with California Code of Regulations Title 24, including: 2016 California 2. This project shair comply with California Code of Regionations The 24, including: 2016 California Residential Code, 2016 California Mechanical Code, 2016 California Electrical Code, 2016 California Energy Code, and Contra Costa County Amendments.
- 3. All work shall be compliant with the contract documents. Any non-compliant work shall be removed at the Contractor's sole expense.
- 4. The Contractor shall not make any changes in the work without a change order that has been approved by the Owner and the Architect.
- 5. The term "work" shall mean all materials, labor and equipment necessary to erect a fully functional and complete building, including all incidental tasks and items that are required but not shown on the drawings or described in the specifications.
- 6. Examination of the site and portions thereof which will affect the Contractor's work shall be made 6. Exhimination or the site aim to portains turied within a the contractor, who shall compare it with the drawings and satisfy themselves as to the conditions under which the work is to be performed. The Contractor shall, at such time, ascertain and check all existing conditions and dimensions which may affect the work. No allowance shall subsequently be made for the failure or neglect on the Contractor's part to make such examination. Any conflicts or omissions, etc., shall be reported to the Architect and Owner prior to start of work.
- 7. Do not scale the drawings. Coordinate all work with the dimensions shown on the drawings. Notify the Architect and Owner immediately upon the discovery of a dimensional inconsistency on the drawings. Do not proceed with the work until the discrepancy has been resolved.
- 8. All dimensions to face of stud unless otherwise noted
- 9. Written dimensions and notes take precedence over scaled dimensions and line drawings.
- 10. The drawings are a complementary set. What is shown and required on one drawing is applicable to all other drawings whether shown or referenced on the other drawings or not including the structural drawings. Notify the Architect and Owner of any inconsistencies between the drawings immediately upon discovery. Do not proceed with the work involved until the Architect has provided a written clarification regarding the discrepancy.
- 11. Errors, omissions or inconsistencies in the data contained in any of the schedules, in the specifications, or on the drawings do not relieve the Contractor from the obligation to complete the work in a fully functional manner. It is the Contractor's responsibility to obtain clarifications and additional information as may be required to complete the work.
- 12. The Contractor shall always be required to furnish the greater quality, the higher quality, or the 12. The Contraction shall emerge be required to normal me greater quarry, the ringing quarry, largest extent of work that may be interpreted from any of the drawings, schedules, notes or specification sections. When in doubt, request a clarification before ordering the material in
- 13. When the term "furnish" is used, it shall also require the installation of the product or system. When the term "install" is used, it shall also require Contractor to furnish the item, unless it is specifically shown and described as an Owner furnished item in these documents.
- 14. Any substitutions proposed for use by the Contractor shall be included as an alternate to the bid. No substitutions shall be allowed after the cont5ract has been signed except as authorized and approved by a written Change Order.
- 15. It is the Contractor's responsibility to order the specified or owner selected materials or equipment in a timely manner. Failure to do so shall not be justification for a material substitution or a schedule extension.
- 16. All workmanship shall be of the highest quality, and shall be approved by the Owner and Architect. Any work not approved shall be removed and replaced at the Contractor's sole cost.
- 17. The Contractor shall furnish all temporary heat, electric power, gas and potable water that may
- 18. The Contractor shall provide a waste container on site and shall remove waste from the workplace regularly. The waste container shall be replaced as necessary. Place the waste container in a location approved by the Owner.
- 19. The Contractor shall be responsible for removing left over materials, debris, tools, and equipment involved at the conclusion of the installation. The Contractor shall leave all areas clean and in perfect condition. All fixtures and reusable materials to be removed are to be stored and disposed of per the Owner's direction
- 20. Verify all dimensions, site conditions and grades at the job site before proceeding with the work. Notify the Architect and Owner of any discrepancies immediately upon discovery.
- 21. Verify all locations and opening sizes of required for utilities and equipment. Coordinate the work of all trades to avoid any conflicts.
- 22. Provide all necessary personnel, equipment, and temporary barricades to protect the public during excavation work. Protect structures, sidewalks, pavement, fences, benches and facilities within or adjacent to the construction site from damage due to settlement, undermining, washout, or other hazards created during earthwork operations. Maintain benchmarks, monuments, and other reference points. Repair broken or cracked sidewalk curb and gutter damage due to earthwork.
- 23. Verify all anchorage requirements and install all required backing, blocking and support whether
- 24. Cutting of any fabricated structural members on the job site shall not be permitted. Obtain the Architect and Structural Engineer's written permission prior to making any site modifications to structural members, fabrications or assemblies.
- 25. The Contractor shall maintain a safe worksite at all times. Provide temporary barriers, safety 20. The Commodor shall maintain a Sare workshill at an immes, Frovide temporary barriers, salety railings, shoring and supports as may be required. Provide temporary lighting systems and maintain safe exit ways at all times during work hours. Provide temporary fire extinguishing equipment as
- 26. The Contractor shall install all permanent emergency lighting, exit lighting, lighted exit signs and fire extinguishers as required by these documents, and as approved by the local fire marshal
- 27. All work furnished by the Contractor shall be covered by a one-year warranty. The warranty shall begin on the day the final occupancy certificate is issued by the permitting authority, any failure in function or appearance shall be corrected to the Owner's satisfaction, including the complete replacement of the product or system.

PROJECT SUMMARY

FLUORESCENT FACE OF FINISH FACE OF STUD

FINISH(ED) FOOD SERVICE EQUIP. CONTRACTOR

Rebuild existing garage, entry stairs, and retaining walls. Existing garage walls are failing, and garage extension is in the public right of way. We will remove portion of garage in right of way and rebuild north and south walls and foundation, moving the north wall in order to widen garage. Stairs and deck over garage will be rebuilt and will have ceramic tile surface, new wrought from guard rails and handrails. Retaining walls and planter boxes will be rebuilt and new lighting will be installed at dock and wallway. We will also replace windows with new windows in existing openings, as noted on elevations.

PROJECT DATA	EXISTING	PROPOSED
Address:	159 Arlington Ave	No Change
Accessor Parcel Number:	572 150 017 0	No Change
Zoning:	R2	No Change
Occupancy:	R3	No Change
Type of Construction:	Type V Non-rated	No Change
Number of Stories:	2	No Change
Parking:	non-conforming	No Change
Sprinklered:	ņo	No Change
Lot Area:	7788 sf	No Change
Building Area:	1364 sf	No Change

ARCHITECTURAL Site Plan, Vicinity Plan, General Notes, Project Info (P) Floorplans (E) Plans and Exterior Elevations (P) Exterior Elevations

DRAWING INDEX


A2.0 A3.0 3 FULL SITE PLAN


BBREVIATIONS GRAPHIC SYMBOLS				VMROLS		
3V	ABOVE	FRP	FIBERGLASS REINFORCED PANEL	OIGHTIIC 3	THIDOLS	-
Ĵ	ADJACENT	FO	FACE OF			
F	ABOVE FINISHED FLOOR	GA	GAUGE	100000000000000000000000000000000000000	EDGE OF OBJECT BELOW	
	ACCESS PANEL	GC				
т	ACOUSTICAL CEILING TILE	GL	GENERAL CONTRACTOR			
C	AIR CONDITIONING	GSM ·	GLAZING, GLASS GALVANIZED SHEET METAL	-	EDGE OF OBJECT ABOVE	
.T	ALTERNATE	GYP	GYPSUM `		EDGE OF OBJECT ABOVE	
RCH	ARCHITECT(URAL)	GWB	GYPSUM WALL BOARD			
KG	BLOCKING	HDWR	HARDWARE			
)	BOARD	HORIZ	HORIZONTAL		LOW WALL	
T	BOTTOM	INT	INTERIOR			
DG.	BUILDING	INSUL	INSULATION			
.R	CLEAR	KEC			(E) WALL TO BE DEMOVED	
G	CEILING	MAX	KITCHEN EQUIPMENT CONTRACTOR		(E) WALL TO BE REMOVED	
ONC	CONCRETE	MECH	MAXIMUM			
DL.	COLUMN	MIN	MECHANICAL	The second secon		
T	CARPET	MTRI	MINIMUM	HERONIED IVI	(N) 2X STUD WALL	
ıÙ	CONCRETE MASONRY UNIT	MTL	MATERIAL METAL			
NST	CONSTRUCTION	(N)	NEW			
3	CORNER GUARD	NIC (N)	NOT IN CONTRACT	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(E) WALL	
1	DETAIL	NTS	NOT TO SCALE		(L) TIALL	
AM.	DIAMETER	0/	OVER			
vi	DIMENSION	O.C.	ON CENTER			
	DOOR	O.S.C.I.	OWNER SUPPLIED.			
VG	DRAWING	0.3.0.1.	CONTRACTOR INSTALLED			
	DRINKING FOUNTAIN	PBO	PROVIDED BY OWNER			
SP	DISPENSER	PLAM	PLASTIC LAMINATE			
. EX	EXISTING	PLYWD	PLYWOOD			
	EACH	REF	REFRIGERATOR			
ELEV	ELEVATION	REG	REGISTER			
ÉCT	ELECTRICAL	RD	ROOF DRAIN			
	ELECTRICAL PANELBOARD	RO	ROUGH OPENING			
S	EXPANDED POLYSTYRENE	SEC	SECTION			
/C	ELECTRIC WATER COOLER	SHT	SHEET			
!	EQUAL	SIM	SIMILAR			
Т	EXTERIOR	SQ	SQUARE			
0	FURNISHED BY OTHERS	SS	STAINLESS STEEL			
	FINISHED FLOOR	SSD	SEE STRUCTURAL DRAWINGS			
	FEET	TDD	TO DE DETERMINES			

SEE STRUCTURAL DRAWINGS TO BE DETERMINED

TYPICAL
UNLESS OTHERWISE NOTED
VERIFY IN FIELD
WAINSCOT

WATER HEATER





RIANCE my 1 BUILDING PERMIT

RECEIVED

CONTRA COSTA COUNTY

FEB 13 2019

Dept of Conservation & Development

Building Inspection Division

VR19-1012

CHITECT AR(E R Ή

ш 2




RENOVATION
Ave BARRINGER I 159 Arlington A Kensington, CA 9

PROJECT DATA SITE PLAN

Date 02.12.19 Issue VARIANCE

Drawn by FIH

A 1.0



BUILDING PERMIT

HYER ARCHITECTURE

263 amherst avenue kensington ca 94708 510.527.1915 [t,f]


KOCHER BARRINGER RENOVATION 159 Arlington Ave Kensington, CA 94708


(P) FLOOR PLANS

Date 02.12.19

Issue VARIANCE Drawn by FLH

A 2.0





ISSUE Date

VARIANCE APPLICATION 02 12 19

VARIANCE RV 1

BULCONG PERMIT SET --
BULCONG PERMIT SET ---

HYER ARCHITECTURE

263 amherst avenue kensington ca 94708 510 527 1915 It f 1



JOVATION

KOCHER BARRINGER RENOVATION 159 Arlington Ave Kensington, CA 94708

> EXTERIOR ELEVATIONS SECTIONS

Date 02.12.19

Issue VARIANCE

Drawn by FLH

A 3.0